USED · AVAILABLE NOW

BRUDERER BSTA 200

600 SPM, BBV100/75 Feeder




PRICE
On request
bandsagen.de · info@bandsagen.de

YEAR	REFURBISHED	SPEED RANGE	TABLE SIZE	STRIP WIDTH
1988	2024	100 – 600 spm	510 x 400 mm	410 mm

40 YEARS IN MACHINERY
2,500+ MACHINES DELIVERED
102 COUNTRIES

Specifications

TECHNICAL DATA · BRUDERER BSTA 200







Max. pressure	200 kN 20 T
Speed range	100 – 600 spm
Year of manufacture	1990
Adjustable stroke	8; 13; 19; 25; 32; 38; 44; 51 mm
Ram height adjustment	51 mm
Table size	510 x 400 mm
Bed opening	400 x 160 mm
Max. distance of the tool width between the columns	410 mm
Connected load	36 kVA
Power	400 V 50 Hz
Control voltage	24 V
Machine dimensions	H 2540 x W 1661 x D 855 mm
Machine weight: approx.	3100 kg

The machine

DESCRIPTION & PHOTOS

Bruderer BSTA 200 High-performance automatic punching press. Feed BBV100/75 on the left side. Switch cabinet and control system. Including all original technical documentation in German.
















Silicon Plus

SAWS & PRESSES · SINCE 1986

Used high-speed presses, coil handling and iDEAL band saw blade welders — inspected under power in our own workshop and shipped worldwide.

See all 9 photos & video online
bandsagen.de · +381 63 505 415
info@bandsagen.de

BRANDS WE TRADE

BRUDERER · iDEAL · SCHAAL · MABU · BIHLER · SOPREM · KOHLER · NOXON · HURAS · SANGIACOMO · MILLUTENSIL

40 YEARS IN MACHINERY

2,500+ MACHINES DELIVERED

102 COUNTRIES