


USED · AVAILABLE NOW

iDEAL BAS 052

Band Saw Blade Welding Machine



PRICE

On request

[bandsagen.de](mailto:info@bandsagen.de) · info@bandsagen.de

YEAR

2012

STRIP WIDTH

From 6 to 50 mm

POWER

25 kVA

VOLTAGE

400-440 V

FREQUENCY

50-60 Hz



40

YEARS IN MACHINERY

2,500+



MACHINES DELIVERED

102

COUNTRIES

Specifications

TECHNICAL DATA · IDEAL BAS 052





Voltage	400-440 V
Power	25 kVA
Frequency	50-60 Hz
Serial no.	239635
Year of manufacture	2012
Bandsaw blades weldong widths	From 6 to 50 mm

The machine

DESCRIPTION & PHOTOS

iDEAL BAS052 is a band saw blade welding machine with 25 kVA power and operates at 400-440 V. It features UNIOP control. Flash butt welding of band saw blades from a UniOP control: that is the working arrangement on this BAS 052, year of manufacture 2012. The machine was repainted only, so it is presented as it came out of service rather than as a stripped and rebuilt unit. Clamping is hydraulic and annealing runs under pyrometer supervision with the temperature held automatically, which takes the heat treatment out of the operator's hands. Welding ranges Band saw blades for wood: 6-50 mm. Bi-metal bandsaw: 6-50 mm. Control and clamping UniOP process control. Annealing temperature held automatically. Annealing pyrometer. Clamping: pneumatic. Mass and footprint Around 500 kg, standing 1400*900*1500 mm over width, depth and height. Instructions and packing come with the machine.



Silicon Plus

SAWS & PRESSES · SINCE 1986

Used high-speed presses, coil handling and iDEAL band saw blade welders — inspected under power in our own workshop and shipped worldwide.



See all 12 photos & video online
bandsagen.de · +381 63 505 415
info@bandsagen.de

BRANDS WE TRADE

BRUDERER

iDEAL

SCHAAL

MABU

BIHLER

SOPREM

KOHLER

NOXON

HURAS

SANGIACOMO

MILLUTENSIL



40
YEARS IN MACHINERY

2,500+
MACHINES DELIVERED

102
COUNTRIES